

Double-ended studs

Manufactured according to your specifications

QUALITY FROM START TOOOOOOOOOOOOOOOOO



STANDARD

- > Double-ended studs are manufactured according to your specifications

DIMENSIONS

- > M20 to M56
- > Double-ended studs with fine pitch thread or trapezoidal thread upon request

LENGTHS

- > 100 mm to 1500 mm


STRENGTH CLASSES / MATERIALS

- > 4.6, 4.8, 5.6, 5.8, 8.8, 10.9, 12.9
- > Steel, stainless steel A2 and A4, special steel
- > Further materials upon request

Double-ended studs

Manufactured according to your specifications

OOOOOOOOOOOOOOOOOOOOOOOOOOOOOO FINISH!



SURFACES

- > Self colour
- > Micro-layer corrosion protection system
- > Electro galvanized
- > Hot-dip galvanized
- > Further surfaces upon request



DESIGNS/FINISHINGS

- > Thin shank (shank diameter = pitch diameter)
- > Full shank (shank diameter = diameter of the nominal thread dimensions)
- > Additional processing such as hexagon socket or exterior hexagon socket, spanner flats, threaded bore holes etc. are possible



WEIER GmbH
Buchholz 8
57489 Drolshagen
Germany

Telefon: +49 2763 - 21223 - 0
Telefax: +49 2763 - 21223 - 20

Email: info@weiergmbh.de
Web: www.weiergmbh.de

